Eventlabel	MAR2002_sel_a_m_04
Campaign	Marion Island 2002
Species	Southern elephant seal (Mirounga leonina)
Age	≥6, adult
Sex	Male
Number	04
Length	403 cm
Girth	305 cm
Weight [estimated]	
Weight [calculated]	1492 kg
Weight [measured]	
ARGOS PTT ID	24651
Transmitter type	SDR-T16, Quarter-Watt, Microprocessor-controlled Satellite- linked Time-Depth Recorder
	The state of the s
Manufacturer	Wildlife Computers
PTT Serial Number	02T0013
PTT Software	3.15b
Setting protocol	Quarter-Watt, Microprocessor-controlled Satellite-linked Time-Depth Recorder. Unit measures depth from 0 to 1960 meters with a resolution of 8 meters Software version 3.15b. Unit number: 02T0013. ARGOS geolocation id = 24651 Unit identifier = MAR2002_sel_a_m_04. Unit started at 07:23:21 on 04/04/02 Time (GMT) is 15:44:29.89. Date (GMT) is 05 April 2002 Shallowest depth to be considered a "dive" = 16 meters Deepest depth for accumulating surface-timelines (0=dry only) = 8 meters SLTDR uses 1-sec / ¼-sec wakeups when shallower than 40 / 16 meters Local time [0-23 hours] corresponding to 00h UT (GMT): 3 Transmission intervals (at-sea / on-land) = 00:45.00 / 01:30.00 SLTDR will use on-land interval after 10 consecutive dry transmissions SLTDR will suspend transmissions after 6 hours "hauled-out". "Haul-out" ends after SLTDR is "wet" for 3 successive at-sea transmission intervals

	accumulate) = 300 STATUS will be transmitted every 48 messages. Blocks of Time-Lines will be transmitted every 48 messages. Hours when SLTDR transmits: 00-23 Upper limits of maximum-depth histogram bins are: 104, 200, 304, 400, 504, 600, 704, 800, 904, 1000, 1104, 1200, 1304, ∞ meters Upper limits of dive-duration histogram bins are: 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, ∞ minutes Upper limits of time-at-depth histogram bins are: 0, 104, 200, 304, 400, 504, 600, 704, 800, 904, 1000, 1104, 1200, ∞ meters
	**** Check these parameters carefully ****. Ready to deploy? y
	Type D to archive depth readings, H to archive histograms: h
Deployment	Head, antenna cranial (45°)
Immobilisation	Initial dose 4000 mg ketamine [100mg/ml], complemented by follow-up doses of 2000, 1000, and 800 mg. Initial dose administered manually by Telinject®-vario dart. Follow-up doses injected by hand.
Comment	No tag, deploy site Trypot
Tag deployed	2002-04-10, -46.898, 37.896
Tag retrieved	
First transmission	2002-04-04T12:17:24, -46.874, 37.866
Last transmission	2002-06-26T16:29:44, -45.630, 35.172